# Author Index Vol. 394


Abián, J.
—— and Gelpí, E.
Direct analysis of the major human seminal prostaglandins by thermospray high-performance liquid chromatography–mass spectrometry 147
Ahnoff, M.
——, Ervik, M. and Johansson, L.
Comparison of high-selectivity gas chromatographic methods, including column switching, for the determination of felodipine in plasma 419
Alborn, H.
—— and Stenhagen, G.
Micro liquid chromatography-mass spectrometry with low flow gradient elution studies of electrostatic nebulization and fused-silica column design 35
Amato, A., see Gagliardi, L. 345
Anderson, J.
—— and Van Niekerk, P. J.
High-performance liquid chromatographic determination of antioxidants in fats and oils 400
Artigas, F.
—— and Gelpí, E.
Evaluation of the potential of thermospray liquid chromatography–mass spectrometry in neurochemistry 123
Ashcroft, A. E.
——, Chapman, J. R. and Cottrell, J. S.
Continuous-flow fast atom bombardment mass spectrometry 15
Baker, T. R., see Kresbach, G. M. 89
Barceló, D.
——, Maris, F. A., Geerdink, R. B., Frei, R. W., De Jong, G. J. and Brinkman, U. A. Th.
Comparison between positive, negative and chloride-enhanced negative chemical ionization of organophosphorus pesticides in on-line liquid chromatography–mass spectrometry 65
Basili, A., see Gagliardi, L. 345
Benson, H. A. E.
—— and McElnay, J. C.
High-performance liquid chromatography assay for the measurement of benzydamine hydrochloride in topical pharmaceutical preparations 395
Berg, B. E., see Greibrokk, T. 429
Bitteur, S.
—— and Rosset, R.
Comparison of octadecyl-bonded silica and styrene–divinylbenzene copolymer sorbents for trace enrichment purposes. Fundamental aspects. I. Calibration of the stationary phases in pure water 279
Blake, J. J. A.
Structure elucidation of drug metabolites using thermospray liquid chromatography–mass spectrometry 171
Blilie, A. L., see Greibrokk, T. 429
Blomberg, S.
—— and Roeraade, J.
Preparative capillary gas chromatography. II. Fraction collection on traps coated with a very thick film of immobilized stationary phase 443
Brinkman, U. A. Th., see Barceló, D. 65
——, see Geerdink, R. B. 51
Bütfering, L.
——, Schmelzeisen-Redeker, G. and Röllgen, F. W.
Studies with a dual-beam thermospray interface in high-performance liquid chromatography–mass spectrometry 109
Bur, H., see Milon, H. 201
Bursey, M. M., see Smith, R. W. 261
Cavazzutti, G., see Gagliardi, L. 345
Chapman, J. R.
—— and Pratt, J. A. E.
Improvements in instrumentation for thermospray operation on a magnetic sector mass spectrometer 231
——, see Ashcroft, A. E. 15
——, see Mellon, F. A. 209
Chess, E. K., see Kalinoski, H. T. 3
Cohen, A. I., see Jemal, M. 388
Cottrell, J. S., see Ashcroft, A. E. 15
Cramer, S. M.
——, El Rassi, Z. and Horváth, Cs.
Tandem use of carboxypeptidase Y reactor and displacement chromatograph for peptide synthesis 305
Cserháti, T.
—— and Gasparic, J.
Mobility of various buffers in reversed-phase thin-layer chromatography 368

Davy, G. S.
—— and Francis, P. D.
Separation of the enantiomers of fluazifop and other 2-phenoxypropionic acids using chiral metal chelate additives in reversed-phase high-performance liquid chromatography 323
De Jong, G. J., see Barceló, D. 65
——, see Geerdink, R. B. 51
De Ruig, W. G., see Hooijerink, H. 403
Doehl, J., see Greibrokk, T. 429
Dunn, J. A.
——, Holland, K. B. and Jezorek, J. R.
Argentation liquid chromatography of polynuclear aromatic hydrocarbons on a silver(I) loaded mercaptopropyl silica gel stationary phase 375
El Rassi, Z., see Cramer, S. M. 305
Erni, F., see Schellenberg, K. H. 239
Ervik, M., see Ahnoff, M. 419
Farbrot, A., see Greibrokk, T. 429
Fei, Y. J., see Kutlar, F. 333
Folestad, S.
—— and Larsson, M.
Swollen polysiloxanes as stationary phases in reversed-phase open-tubular column liquid chromatography 455
Francis, P. D., see Davy, G. S. 323
Frei, R. W., see Barceló, D. 65
——, see Geerdink, R. B. 51
Gagliardi, L.
——, Cavazzutti, G., Amato, A., Basili, A. and Tonelli, D.
Identification of cosmetic dyes by ion-pair reversed-phase high-performance liquid chromatography 345
Garteiz, D. A., see McFadden, W. H. 101
Gasparic, J., see Cserháti, T. 368
Geerdink, R. B.
——, Maris, F. A., De Jong, G. J., Frei, R. W. and Brinkman, U. A. Th.
Halogenated mobile phase additives for improved detection performance in liquid chromatography–negative chemical ionization mass spectrometry 51
——, see Barceló, D. 65
Gelpí, E., see Abián, J. 147
——, see Artigas, F. 123
Gilpin, R. K., see Yang, S. S. 295
Granström, E., see Herman, C. A. 353
Greef, J. van der, see Van der Greef, J. 77
Greibrokk, T.
——, Berg, B. E., Blilie, A. L., Doehl, J., Farbrot, A. and Lundanes, E.
Techniques and applications in supercritical fluid chromatography 429
Groeppelin, A., see Schellenberg, K. H. 239
Hagler, Jr., W. M., see Voyksner, R. D. 183
Hamberg, M., see Herman, C. A. 353
Hanai, R.
—— and Wada, A.
Analysis of the *cis–trans* isomerization kinetics of L-alanyl-L-proline by the elution-band relaxation method 273
Herman, C. A.
——, Hamberg, M. and Granström, E.
Quantitative determination of prostaglandins $E_1$, $E_2$ and $E_3$ in frog tissue 353
Höhn, M., see Van der Greef, J. 77
Holland, K. B., see Dunn, J. A. 375
Hooijerink, H.
—— and De Ruig, W. G.
Determination of thyreostatics in meat by reversed-phase liquid chromatography with ultraviolety and electrochemical detection 403
Horváth, Cs., see Cramer, S. M. 305
Huisman, T. H. J., see Kutlar, F. 333
Hwang, D.-G., see Yinon, J. 253
Jemal, M.
—— and Cohen, A. I.
Determination of enantiomeric purity of *Z*-oxylysine by capillary gas chromatography 388
Jetten, J., see Van der Greef, J. 77
Jezorek, J. R., see Dunn, J. A. 375
Johansson, L., see Ahnoff, M. 419
Johnson, D. M., see Smith, R. W. 261
Jong, G. J. de, see Barceló, D. 65
——, see Geerdink, R. B. 51
Julin, L., see Manninen, A. 465
Kalinoski, H. T.
——, Udseth, H. R., Chess, E. K. and Smith, R. D.
Capillary supercritical fluid chromatography–mass spectrometry 3
Karger, B. L., see Kresbach, G. M. 89
Kim, H. Y.
——, Yergey, J. A. and Salem, Jr., N.
Determination of eicosanoids, phospholipids and related compounds by thermospray liquid chromatography–mass spectrometry 155
Kostova, L. L., see Pashankov, P. P. 382
Kresbach, G. M.
——, Baker, T. R., Nelson, R. J., Wronka, J., Karger, B. L. and Vouros, P.
Direct electrically heated spray device for a moving belt liquid chromatography–mass spectrometry interface 89
Kuitunen, M.-L., see Manninen, A. 465
Kutlar, A., see Kutlar, F. 333

Kutlar, F.
——, Fei, Y. J., Wilson, J. B., Kutlar, A. and Huisman, T. H. J.
Detection of the embryonic ξ chain in blood from newborn babies by reversed-phase high-performance liquid chromatography 333
Lant, M. S.
——, Oxford, J. and Martin, L. E.
Automated sample preparation on-line with thermospray high-performance liquid chromatography–mass spectrometry for the determination of drugs in plasma 223
Larsson, M., see Folestad, S. 455
Lindberg, C.
—— and Paulson, J.
Optimization of thermospray conditions. Effect of repeller potential and vaporizer temperature 117
Linder, M., see Schellenberg, K. H. 239
Lundanes, E., see Greibrokk, T. 429
McElnay, J. C., see Benson, H. A. E. 395
McFadden, W. H.
——, Garteiz, D. A. and Siegmund, E. G.
Thermospray collisionally induced dissociation with single and multiple mass analyzers 101
Manninen, A.
——, Kuitunen, M.-L. and Julin, L.
Gas chromatographic properties of the M series of universal retention index standards and their application to pesticide analysis 465
Maris, F. A., see Barceló, D. 65
——, Geerdink, R. B. 51
Martin, L. E., see Lant, M. S. 223
Mellon, F. A.
——, Chapman, J. R. and Pratt, J. A. E.
Thermospray liquid chromatography–mass spectrometry in food and agricultural research 209
Milon, H.
——, Bur, H. and Turesky, R.
Thermospray liquid chromatographic–mass spectrometric analysis of mutagenic substances present in tryptophan pyrolysates 201
Morris, C. E.
Determination of uracil, uridine and formic acid in egg products by high-performance liquid chromatography 408
Nelson, R. J., see Kresbach, G. M. 89
Niekerk, P. J. van, see Anderson, J. 400
Niessen, W. M. A.
—— and Poppe, H.
Problems in interfacing open-tubular liquid chromatography and mass spectrometry 21
Nijssen, L. M., see Van der Greef, J. 77
Nomura, M., see Yamamoto, S. 363
Oxford, J., see Lant, M. S. 223
Parker, C. E., see Smith, R. W. 261
Pashankov, P. P.
—— and Kostova, L. L.
Reversed-phase high-performance liquid chromatography of metronidazole benzoate in suspension dosage form 382
Poppe, H., see Niessen, W. M. A. 21
Pratt, J. A. E., see Chapman, J. R. 231
——, see Mellon, F. A. 209
Paulson, J., see Lindberg, C. 117
Rassi, Z. El, see Cramer, S. M. 305
Roeraade, J., see Blomberg, S. 443
Röllgen, F. W., see Bütfering, L. 109
Rosset, R., see Bitteur, S. 279
Ruig, W. G. de, see Hooijerink, H. 403
Salem, Jr., N., see Kim, H. Y. 155
Sano, Y., see Yamamoto, S. 363
Schellenberg, K. H.
——, Linder, M., Groeppelin, A. and Erni, F.
Experience with routine applications of liquid chromatography–mass spectrometry in the pharmaceutical industry 239
Schmelzeisen-Redeker, G., see Bütfering, L. 109
Shapiro, H. S.
Studies on the nucleotide arrangement in DNA. Estimation of sequence isomers in pyrimidine deoxyribooligonucleotides 315
Siegmund, E. G., see McFadden, W. H. 101
Smith, R. D., see Kalinoski, H. T. 3
Smith, R. W.
——, Parker, C. E., Johnson, D. M. and Bursey, M. M.
Eluent pH and thermospray mass spectra: does the charge on the ion in solution influence the mass spectrum? 261
Stenhagen, O., see Alborn, H. 35
Swanson, S. P., see Voyksner, R. D. 183
Tas, A. C., see Van der Greef, J. 77
Taylor, G. W.
—— and Watson, D.
Biomedical applications of thermospray liquid chromatography–mass spectrometry 135
Tonelli, D., see Gagliardi, L. 345
Turesky, R., see Milon, H. 201
Udseth, H. R., see Kalinoski, H. T. 3
Van der Greef, J.
——, Tas, A. C., Nijssen, L. M., Jetten, J. and Höhn, M.
Identification and quantitation of diketopiperazines by liquid chromatography–mass spectrometry, using a moving belt interface 77
Van Niekerk, P. J., see Anderson, J. 400
Vouros, P., see Kresbach, G. M. 89

Voyksner, R. D.
——, Hagler, Jr., W. M. and Swanson, S. P.
Analysis of some metabolites of T-2 toxin, diacetoxyscirpenol and deoxynivalenol by thermospray high-performance liquid chromatography–mass spectrometry 183
Wada, A., see Hanai, R. 273
Watson, D., see Taylor, G. W. 135
Wilson, J. B., see Kutlar, F. 333
Wronka, J., see Kresbach, G. M. 89
Yamamoto, S.
——, Nomura, M. and Sano, Y.
Factors affecting the relationship between the plate height and the linear mobile phase velocity in gel filtration chromatography of proteins 363
Yang, S. S.
—— and Gilpin, R. K.
Reordering/resolvation of silica immobilized non-hydrogen bonding ligands used as stationary phases in high-performance liquid chromatography 295
Yergey, J. A., see Kim, H. Y. 155
Yinon, J.
—— and Hwang, D.-G.
Applications of liquid chromatography–mass spectrometry in metabolic studies of explosives 253